

Personal Hygiene of Farmers in Besuk Village Gurah District Kediri Regency

by Reny Nugraheni

Submission date: 23-Jun-2020 06:42PM (UTC-0700)

Submission ID: 1348824483

File name: 5_6307306319107850549.pdf (410.24K)

Word count: 1460

Character count: 8167

Personal Hygiene of Farmers in Besuk Village Gurah District Kediri Regency

Reny Nugraheni^{a,1,*}, Siska Kusuma Wardani^{a,2}

^a Institut Ilmu Kesehatan Bhakti Wiyata Kediri
reny.nugraheni@iik.ac.id
* corresponding author

ARTICLE INFO (8 pt)

Article history:
Received
Revised
Accepted

Keywords:
Personal hygiene
Farmers

ABSTRACT

Background: In carrying out their work, farmers in Besuk Subdistrict, Gurah District, do not wear footwear and work in the fields without using gloves. Personal hygiene is still lacking. This can be seen from the habits of farmers who after working do not wash their hands before eating. Such conditions can facilitate the emergence of helminthiasis in farmers. **Objective:** Personal hygiene of farmers in Besuk Subdistrict, Gurah District, Kediri Regency **Method:** The type of research used is analytical survey method using cross sectional approach data collection using questionnaires and in-depth interviews. **Results:** Based on interviews and direct observations made in the village of Besuk, that the Personal Hygiene of the Besuk Village Farmers is not good as many as 58 respondents (96.67%). **Conclusions and suggestions:** Personal hygiene of Besuk Village farmers is not good. So it is necessary to conduct counseling for farmers to maintain personal hygiene especially after work and before eating by washing their hands and feet.

Copyright © 2018 STIKes Surya Mitra Husada.
All rights reserved.

I. Introduction

Defecation habits on the soil / river and the use of dirt as an important fertilizer in the spread of infection. Transmission STH nematodes are not only transmitted through the soil but can be done through dirt. STH transmission mechanism relates to poor hygiene and environmental sanitation, socio-economic aspects and level of one's knowledge (Widoyono, 2011).

Based on the preliminary survey in May 2017, in carrying out their work, farmers in Besuk Village, Gurah District, were not wearing footwear and working in the fields without using gloves. Personal hygiene is still lacking. This can be seen from the habits of farmers who after working do not wash their hands before eating. Such conditions can facilitate the emergence of helminthiasis in farmers.

Based on the description above, the author wants to do research on "Personal Hygiene in Farmers in the Village of Besuk, Gurah District, Kediri".

II. Method

The research design used in this study is a method of observation with analytical surveys using a cross sectional approach, namely researchers studying personal hygiene (Notoatmodjo, 2010). As well as the population that has been determined by researchers, namely farmers in the village of Besuk. The number of samples in this study was 60 respondents.



DOI:

W : <http://ojs.stikesstrada.ac.id/index.php/JGRPH/>

E : jurnal_grph@gmail.com

III. Results and Discussion

Results

Personal Hygiene of the Village Farmers in Besuk

Based on the results of the study, the total score of personal hygiene on farmers in Besuk Village, Gurah District, Kediri Regency ranged from 1 - 8 with an average score of 3.37 while the standard deviation was 1.97. If the results of the scoring are grouped into 2 categories: not good and good, it can be seen in the following table.

Table 2.1 Personal Hygiene of Besuk Village Farmers

Personal Higiene	Frequency (F)	Presentase (%)
Not Good	58	96,67
Good	2	3,33
Total	60	100

Source: primary data, 2018

The most proportion is not good as many as 58 respondents (96.67%) compared to those who have good personal hygiene as many as 2 respondents (3.33%).

Discussion

From the results of the research that has been obtained, the following discussion can be done:

Personal Hygiene of Besuk Village Farmers

From the research data obtained were respondents who had a good level of personal hygiene with a negative incidence of Soil Transmitted Helminth infection as many as 3 respondents (5%) more than the incidence of positive infection with Soil Transmitted Helminth as many as 57 respondents (95%). This gives a picture that good personal hygiene will reduce the occurrence of Soil Transmitted Helminth infection in people's bodies. So to reduce the occurrence of the Soil Transmitted Helminth infection it can be done by always maintaining personal hygiene

Conclusion

From the results of research conducted in the village of Besuk, namely:

The most proportion is not good as many as 58 respondents (96.67%) compared to those who have good personal hygiene as many as 2 respondents (3.33%).

Suggestion

Suggestions that can be submitted based on the results of this study are:

1. Providing information or counseling to farmers about personal hygiene to prevent the risk of infection with helminth soil transmitted worms.
2. For farmers to always maintain personal hygiene, especially feet and hands after working from the rice fields and before eating.

Acknowledgment

Infinite gratitude author to convey to the Directorate of Research and Community Services Directorate General of Strengthening Research and Development of the Ministry of Research, Technology and Higher Education of the Republic of Indonesia, holder of HIV-AIDS Program in Poly VCT Regional General Hospital Ibnu Sina Gresik

References

- [1] Badan Pusat Statistik, 2013. Laporan Tahunan BPS Di Indonesia Tahun 2011-2013. Jakarta: Badan Pusat Statistik
- [2] Kemenkes RI, 2017. Laporan Perkembangan HIV-AIDS dan Penyakit Infeksi Menular Seksual (PIMS) Triwulan I Tahun 2017, di sitasi tanggal 2 Oktober 2018 di website http://siha.depkes.go.id/portal/files_upload/Laporan_HIV_AIDS_TW_1_2017_rev.pdf
- [3] Kemenkes RI, 2015. Profil Kesehatan Indonesia Tahun 2015. Jakarta. Diakses di <http://www.depkes.go.id/resources/download/pusdatin/profil-kesehatan-indonesia/profil-kesehatan-Indonesia-2015.pdf>
- [4] Dinas Kesehatan Provinsi, 2013. *Profil Dinas Kesehatan Provinsi Jawa Timur Tahun 2013*: Dinkes Provinsi Jawa Timur
- [5] Bappeda Kabupaten Gresik, 2015. *Gresik Dalam Angka Tahun 2015*. Pemda Kabupaten Gresik.
- [6] PKBI Jatim (2017). Analisis Situasi Program Pencegahan Dan Penanggulangan HIV-AIDS dan IMS Di Jawa Timur. Dinas Kesehatan Provinsi Jawa Timur.
- [7] Aisah, S. Perilaku Seksual Pekerja Migran Boroyang Menderita Hiv/aids di Wilayah Kudus. In *Seminar Nasional Hasil Penelitian dan Pengabdian Masyarakat UNIMUS 2017*. Muhammadiyah University Semarang.
- [8] Khumairoh, Z. (2013). KAJIAN TENTANG TKI DARI DESA DALEGAN KECAMATAN PANCENG KABUPATEN GRESIK KE MALAYSIA. *Swara Bhumi*, 2(1). Di sitasi tanggal 11 Oktober 2018, dengan alamat <http://jurnalmahasiswa.unesa.ac.id/index.php/swara-bhumi/article/view/871>
- [9] Alarcon, J. O., Johnson, K. M., Courtois, B., Rodriguez, C., Sanchez, J., Watts, D. M., & Holmes, K. K. (2003). Determinants and prevalence of HIV infection in pregnant Peruvian women. *AIDS*. <https://doi.org/10.1097/00002030-200303070-00017>
- [10] Widiyanti, M., Sandi, S., & Wibowo, H. A. (2014). Analisis Subtipe HIV-1 dan Faktor Penyebarannya pada Penderita HIV di RS. Yowari Kabupaten Jayapura, Papua. *Jurnal Biologi Papua*, 6(1), 25-30.
- [11] (Alarcon et al., 2003) Alarcon, J. O., Johnson, K. M., Courtois, B., Rodriguez, C., Sanchez, J., Watts, D. M., & Holmes, K. K. (2003). Determinants and prevalence of HIV infection in pregnant Peruvian women. *AIDS*. <https://doi.org/10.1097/00002030-200303070-00017>
- [12] Clark, S., Bruce, J., & Dude, A. (2006). Protecting young women from HIV/AIDS: The case against child and adolescent marriage. *International Family Planning Perspectives*. <https://doi.org/10.1016/j.cities.2005.08.005>
- [13] Octaviany, L. (2015). Pengetahuan, Sikap dan Pencegahan HIV/AIDS pada Ibu Rumah Tangga. *Jurnal Kesehatan Masyarakat*.
- [14] (Zou et al., 2009) Alarcon, J. O., Johnson, K. M., Courtois, B., Rodriguez, C., Sanchez, J.,

- Watts, D. M., & Holmes, K. K. (2003). Determinants and prevalence of HIV infection in pregnant Peruvian women. *AIDS*. <https://doi.org/10.1097/00002030-200303070-00017>
- [15] Sriwilali, J. D. M., & Prayoga, A. A. S. M. (2013). Karakteristik ibu hamil dengan HIV. *Jurnal Genta Kebidanan*.
- [16] Anand, A., Shiraishi, R. W., Bunnell, R. E., Jacobs, K., Solehdin, N., Abdul-Quader, A. S., ... Diaz, T. (2009). Knowledge of HIV status, sexual risk behaviors and contraceptive need among people living with HIV in Kenya and Malawi. *AIDS*. <https://doi.org/10.1097/QAD.0b013e32832cb10c>
- [17] Depkes RI (2004). Modul Pelatihan Konseling Dan Tes Sukarela HIV (Voluntary Counselling And Testing = VCT). Untuk Konselor Profesional. Direktorat Jenderal Pelayanan Medik Direktorat Jenderal Pemberantasan Penyakit Menular Dan Penyehatan Lingkungan.
- [18] Rangkuti, A. Y., Sarumpaet, S. M., & . R. (2013). Karakteristik Penderita Aids Dan Infeksi Oportunistik Di Rumah Sakit Umum Pusat (Rsip) H. Adam Malik Medan Tahun 2012. *Gizi, Kesehatan Reproduksi Dan Epidemiologi*.

Personal Hygiene of Farmers in Besuk Village Gurah District Kediri Regency

ORIGINALITY REPORT

13%

SIMILARITY INDEX

6%

INTERNET SOURCES

6%

PUBLICATIONS

5%

STUDENT PAPERS

MATCH ALL SOURCES (ONLY SELECTED SOURCE PRINTED)

2%

★ ejournal.kemenperin.go.id

Internet Source

Exclude quotes On

Exclude matches Off

Exclude bibliography On

Personal Hygiene of Farmers in Besuk Village Gurah District Kediri Regency

GRADEMARK REPORT

FINAL GRADE

/0

GENERAL COMMENTS

Instructor

PAGE 1

PAGE 2

PAGE 3

PAGE 4
